

TRIM[®] OE335

Vegetable Ester Based Cutting Oil

TRIM OE335 is a heavy-duty neat cutting oil formulated using renewable vegetable esters. The product is certified as readily biodegradable. TRIM OE335 is designed for use in very tough machining operations of hardened steel alloys, tool steels and stainless steels. TRIM OE335 has the lubricity and EP performance to maximise tool life in operations such as gear hobbing.

Neat Oils



Neatly to the point-of-cut:

TRIM neat oils, used "neat" without dilution of water, provide maximum lubricity. TRIM neat oils have super lubrication and extreme pressure ability, effectively protects the tool, prolongs its service life, and can obtain extremely high workpiece precision and surface finish.

Depending on the specific product, some TRIM neat oils are a high-end blend of various base oils; while others contain extreme-pressure additives to control built-up edge and prolong tool life.

Get neatly to the cut with TRIM neat oils.



Choose OE335:

- Extremely high lubricity ensures fantastic tool life
- Readily biodegradable
- Ester based formulation ensures very low misting potential
- Very High flash point
- Excellent oxidation stability
- Compatible with copper containing alloys
- Light colour and low odour for good operator acceptance

OE335 especially for:

Applications — broaching, deep hole drilling, drilling, gear cutting, gear hobbing, gear shaving, machining, milling, reaming, tapping, turning

Metals — aluminium, nickel alloys, stainless steels, steel alloys, titanium and yellow metals

Industries — aerospace, automotive, general industry and medical

OE335 is free of — chlorine, sulphur and zinc

Health and Safety

Request SDS



TRIM[®] OE335

Vegetable Ester Based Cutting Oil



Application Guidelines

- TRIM OE335 is designed to be used neat.
- For additional product application information, including performance optimisation, please contact your Master Fluid Solutions' Authorised Distributor at <https://www.masterfluids.com/eu/en/distributors/index.php>, your District Sales Manager, or call our Tech Line at +49 211 77 92 85 - 13.

Physical Properties Typical Data

Colour	Yellow
Odour	Mild
Form	Liquid
Flash Point	> 300°C
Viscosity	35.00 mm ² /s @40°C

Ordering Information

204-litre drum

1000-litre IBC

TRIM[®] OE335 | ©2012-2024 Master Fluid Solutions™ | 2024-04-24

Additional Information

- Consult Master Fluid Solutions before using on any metals or applications not specifically recommended.
- This product should not be mixed with other metalworking fluids or metalworking fluid additives, except as recommended by Master Fluid Solutions, as this may reduce overall performance, result in adverse health effects, or damage the machine tool and parts. If contamination occurs, please contact Master Fluid Solutions for recommended action.
- TRIM[®] is a registered trademark of Master Chemical Corporation d/b/a Master Fluid Solutions.
- The information herein is given in good faith and believed current as of the date of publication and should apply to the current formula version. Because conditions of use are beyond our control, no guarantee, representation or warranty expressed or implied is made. Consult Master Fluid Solutions for further information. For the most recent version of this document, please go to this URL:

https://2trim.us/di/?i=eu_en_OE335



Hasselsstraße 6-14
Düsseldorf, 40597
Germany
+49 211 41 72 81 00

info-eu@masterfluids.com

[masterfluids.com/eu/en/](https://www.masterfluids.com/eu/en/)